

JBC

www.jbctools.com

INSTRUCTION MANUAL



CL6220

Metal Brushes with Clip
for Compact Stations &
Manual Tip Cleaners

This manual corresponds to the following reference:

CL6220

Packing List

The following items are included:



Metal Brushes 1 set

includes:

- Brushes CL6217 (2x)
- Clip (1x)

Manual 1 unit


Ref. 0010369

Metal Brush Replacement in Compact Stations


Open and remove the splashguard.

Insert the metal brush set (the clip must come to rest at the front end).

Finally reassemble the splashguard.



Metal Brush Replacement in Manual Tip Cleaners



Open (1) and remove (2) the splashguard. Insert the metal brush set (3). The clip must come to rest at the rear end. Finally reassemble the splashguard.

Optional Cleaning Products



CL6205
Inox Wool

*for Compact Stations,
Stands and Manual
Tip Cleaners*



CL6210
Brass Wool

*for Compact Stations,
Stands and Manual
Tip Cleaners*



TT
Tip Tinner

*for lead and lead free
applications*



S0354
Sponge

*36 x 69 mm
for Compact Stations
and Manual Tip Cleaners*



CL6217
Metal Brush

*for Compact Stations
and Manual Tip Cleaners*

Specifications

CL6220

Metal Brush with Clip for Compact Stations & Manual Tip Cleaners

Ref.: **CL6220**

- | | |
|-----------------------|-----------------------|
| - Total Net Weight: | 38 g / 0.084 lb |
| - Package Weight: | 50 g / 0.110 lb |
| - Package Dimensions: | 90 x 55 x 40 mm |
| (L x H x W) | 3.54 x 2.17 x 1.57 in |

Complies with CE standards.
ESD Safe.

JBC

Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour.

Warranty does not cover product wear or misuse.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.



www.jbctools.com